

Order	Paper Title	page
1	LEVELS OF PCDD/FS, PCBS, AND PBDES IN EDIBLE FISH FROM CALIFORNIA COASTAL WATERS	1
2	BENTHIC, INFAUNAL COMMUNITY, SEDIMENT TOXICITY, AND BIOACCUMULATION POTENTIAL OF PCDD/FS IN SEDIMENTS FROM ARCATA BAY, CALIFORNIA	5
3	PRELIMINARY ASSESSMENT OF RISKS FROM POLYCHLORINATED DIBENZO-P-DIOXINS AND DIBENZOFURANS TO FISH AND CRUSTACEANS IN THE TIDAL PASSAIC RIVER, NEW JERSEY, USA	9
4	HISTORICAL AND PROJECTED SURFICIAL SEDIMENT CONCENTRATIONS OF PCDD/FS AND PCBS IN THE LOWER PASSAIC RIVER, NEW JERSEY, USA	13
5	CONGENER-SPECIFIC PCB ANALYSIS OF NATIVE FOODS FROM NUNIVAK AND ST. LAWRENCE ISLANDS, ALASKA	17
6	NEW AND EMERGING PERSISTENT ORGANIC POLLUTANTS IN SEDIMENTS OF THE GREAT LAKES AND ASSOCIATED AREAS OF CONCERN	21
7	DETERMINATION OF ORGANOCHLORINE CONTAMINANTS ON RIVER SEDIMENTS AND BOTTOM FEEDING FISH FROM PARAIBA DO SUL GUANDU RIVER SYSTEM - BRAZIL	25
8	PCB'S AND PCDD/PCDF IN SEDIMENT IN SOUTH AFRICA: AN INITIAL SURVEY	29
9	ANALYSIS OF POLYCHLORINATED BIPHENYLS AND ORGANOCHLORINE PESTICIDES IN THE BLOOD OF LOGGERHEAD SEA TURTLES	33
10	INDICATIVE ANALYSIS OF RELATIVE RISKS AND DATA GAPS OF DIOXIN-LIKE COMPOUNDS IN BALTIC SEA FISH, BASED ON BODY BURDEN, BIOKINETIC AND	37
11	DIOXIN LEVELS IN FISH CAUGHT FROM THE BALTIC SEA IN 2001-2002	41
12	THE RESIDUES OF PCBS AND ORGANOCHLORINE HYDROCARBONS IN THE FROG LIVER FROM THE KRAGUJEVAC HOT SPOT	45
13	SURVEILLANCE PROGRAM ON DIOXINS AND DIOXIN-LIKE PCBS IN FISH AND SHELLFISH CONSUMED IN SPAIN	49
14	WATER QUALITY ASSESSMENT OF THE VENICE LAGOON: TWO YEARS MONITORING OF POPS BY HIGH VOLUME SAMPLER	53
15	TEMPORAL TRENDS OF 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (TCDD) IN FISH FROM THE TITTABAWASSEE RIVER, MICHIGAN	57
16	CONTAMINATION OF NATURAL MATRIXES WITH PERSISTENT ORGANIC POLLUTANTS AS A RESULT OF WOOD TREATMENT IN THE NORTHERN REGIONS OF RUSSIA	61
17	DIOXIN CONCENTRATION IN RAW/TREATED WATER AT THREE RIVER SYSTEM IN JAPAN	65
18	CONGENER PROFILES OF PCDDS, PCDFS, AND COPLANAR PCBS IN SEDIMENT FROM LAKE SUWA IN JAPAN	69
20	COMPARISON OF THE LEVELS FOR PCDD/FS AND 28 PCB CONGENERS IN FINFISH FROM LAKE CHARDARA, KAZAKHSTAN AND WASHINGTON, DC	73
21	PERSISTENT ORGANOCHLORINE MICROCONTAMINANTS IN BOTTOM SEDIMENTS OF THE NORTHERN ADRIATIC SEA	77
22	ENDOCRINE DISRUPTING POLLUTANTS IN SEDIMENTS AND OYSTER TISSUES FROM ATLANTIC COASTAL SALT MARSH ECOSYSTEM OFF SAVANNAH, GEORGIA, USA	81
23	POLYCHLORINATED BIPHENYLS IN SEDIMENTS OF THE KUMHO RIVER IN SOUTH KOREA	85
24	ANALYSIS OF DIOXIN-LIKE PCBS IN WILD AND FARMED SALMON AND FARMED TROUT FROM IRISH WATERS	89
25	LEVELS OF PCDDS, PCDFS AND DIOXIN-LIKE PCBS IN RETAIL FISH AND SHELLFISH IN	93
26	DISTRIBUTION OF PCBS IN FISH AS BEING REPRESENTATIVE OF KOREA	97
27	SPATIAL AND TEMPORAL TRENDS IN POPS SEDIMENT CONTAMINATION IN THE CZECH REPUBLIC	101
28	POPS IN SEDIMENTS AND FISH FROM THE SALTON SEA, CALIFORNIA, USA	104
29	PCDDS, PCDFS AND DLPCBS IN SURFACE SEDIMENTS FROM NAKDONG RIVER ESTUARY AND ITS ADJACENT COAST OF KOREA	108
30	DISTRIBUTION AND SOURCE OF PCDD/FS AND CO-PCBS IN THE TONE RIVER AREA,	112
31	CONTAMINATION AND DISTRIBUTION OF PERSISTENT ORGANOCHLORINE AND ORGANOTIN COMPOUNDS IN DEEP-SEA FISH FROM EAST CHINA SEA: DIFFERENT RESIDUE LEVELS IN SHALLOW AND DEEP WATER ECOSYSTEMS	116
32	EVALUATION OF PCDD/FS IN COMMERCIAL OYSTERS FROM ARCATA BAY, CALIFORNIA	120
33	WASTEWATER CONTAMINANTS MEASURED TO SUPPORT THE NEW JERSEY TOXICS REDUCTION PROGRAM PART 2: DIOXIN, PCB, AND ORGANOCHLORINE PESTICIDE	124
34	WASTEWATER CONTAMINANTS MEASURED TO SUPPORT THE NEW JERSEY TOXICS REDUCTION PROGRAM PART 1: PROGRAM OVERVIEW AND PAH PROFILES	128
35	ANALYSING OF NON- AND MONO-ORTHO- PCBS, POLYCHLORINATED-P-DIOXIN AND POLYCHLORINATED FURANS FROM TURKEY AND SALMON MATRIXES	132
36	LEVELS OF TRICLOSAN AND METHYL TRICLOSAN IN THE PLASMA OF FISH FROM THE DETROIT RIVER	136

37	CHLORINATED DIBENZO-P-DIOXINS AND DIBENZOFURANS PATTERNS IN THE BALTIC HERRING AND SPRAT	140
38	CORRELATION BETWEEN PCDD AND PCDF LEVELS IN SEDIMENTS AND CLAMS (TAPES SP.) IN THE VENICE LAGOON	144
39	ASSESSMENT OF THE TOXIC POTENCY OF PCDDS, PCDFS AND PCBS IN MARINE SEDIMENTS FROM CATALONIA, SPAIN	148
40	CONTAMINATION OF RUSSIAN BALTIC FISH BY PCDD/F	152
41	PCDDS AND PCDFS IN THE MARINE FLATFISH DAB (LIMANDA LIMANDA) FROM A CONTAMINATED ESTUARY IN FRANCE	157
42	ELBE FLOOD AUGUST 2002 - PCDD/F IN SEDIMENTS FROM CZECHIA TO THE NORTH SEA	161
43	FIRST ATTEMPT TO EVALUATE PCDDS, PCDFS AND PCB ENANTIOMERIC RATIOS IN STRIPED DOLPHINS (STENELLA COERULEOALBA) FROM THE MEDITERRANEAN SEA USING SKIN BIOPSIES	165
44	CHLORINATED DIOXIN/FURANS IN NEW YORK HARBOR WATER, WASTEWATER, BIOTA AND SEDIMENTS	169
45	DETERMINATION OF DIOXINS, FURANS AND CO-PLANAR PCBS IN AQUATIC ORGANISMS FROM LAKE KASUMIGAURA, JAPAN	173
46	TOXAPHENE IN ESTUARINE FISH DECREASES AFTER REMOVAL OF CONTAMINATED SEDIMENTS	178
47	EVALUATION OF PCDDS/DFS ORIGIN IN MARINE SEDIMENTS FROM THE INDUSTRIALISED REGIONS OF KOREA	182
48	VARIATIONS IN ORGANOCHLORINE CONCENTRATIONS AND PATTERNS WITH GROWTH AND TROPHIC STATUS OF TIDAL FLAT AND COASTAL SPECIES FROM THE ARIAKE SEA,	186
49	ANALYSIS OF PCDD/FS FROM SEDIMENTS OF DONGTING LAKE IN CHINA	190
50	STUDY OF DIOXIN LEVELS IN FATTY FISH FROM SWEDEN 2001 2002 PART II	193
51	POLYCHLORINATED BIPHENYLS IN SEDIMENT CORES FROM THE NORTHERN VENICE	197
52	DIOXINS IN THE BALTIC HERRING AND SPRAT IN ESTONIAN COASTAL WATERS	201
53	LEVELS OF PCDDS, PCDFS, NO-PCBS AND MO-PCBS IN NORWEGIAN EEL	204
54	WITHDRAWN	
55	INTEGRATING DATA ON LIFE HISTORY, HEALTH, AND REPRODUCTIVE SUCCESS TO EXAMINE POTENTIAL EFFECTS OF POPS ON BOTTLENOSE DOLPHINS (TURSIOPS TRUNCATUS) IN SARASOTA BAY, FLORIDA	208
56	IMMUNOLOGIC AND CATALYTIC ASSESSMENT OF HEPATIC XENOBIOTIC-METABOLIZING ENZYMES AND BIOTRANSFORMATION POTENTIAL IN BELUGA WHALE (DELPHINATERUS LEUCAS) IN TWO CANADIAN POPULATIONS	212
57	IMPLICATIONS OF AHR- AND CYP1A/1B-MEDIATED EFFECTS BY PCDDS/DFS AND COPLANAR PCBS IN BAIKAL SEAL	216
58	PERSISTENT ORGANIC POLLUTANTS AND IMMUNE FUNCTION IN US ATLANTIC COAST HARBOR SEALS (PHOCA VITULINA CONCOLOR)	220
59	PERSISTENT ORGANOHALOGEN COMPOUNDS IN MARINE MAMMALS STRANDED OR BYCOUGHT IN THE UK	224
60	POLYBROMINATED DIPHENYL ETHERS IN MARINE MAMMALS FROM AISAN WATERS	228
61	ABSORPTION OF PBDES AND PCBS BY GREY SEALS (HALICHOERUS GRYPUS)	232
62	USING POPS TO DISTINGUISH HARBOUR SEAL (PHOCA VITULINA) COLONIES OF ATLANTIC CANADA	236
63	DIOXINS, FURANS AND DIOXIN-LIKE PCBS IN JUVENILE HARBOUR PORPOISES (PHOCOENA PHOCOENA) FROM THE NORTH SEA	240
64	ORGANOCHLORINES WITH ENDOCRINE DISRUPTING CAPACITY IN MARINE MAMMALS: THE CASE STUDY OF MEDITERRANEAN CETACEANS	244
65	TOXAPHENE IN BELUGA WHALES (DELPHINAPTERUS LEUCAS) FROM THE ST LAWRENCE, CANADA: LEVELS AND TRENDS	249
66	MOLECULAR AND CELLULAR APPROACHES TO UNDERSTANDING THE SENSITIVITY OF MARINE MAMMALS TO PERSISTENT ORGANIC POLLUTANTS	253
67	SOUTHERN HEMISPHERE CETACEANS: A STUDY OF THE POPS PCDDS/PCDFS AND DIOXIN-LIKE PCBS IN STRANDED ANIMALS FROM THE TASMANIAN COAST	257
68	INVESTIGATIONS OF GAMMAHERPESVIRUS INFECTION, EXPOSURE TO PERSISTENT ORGANIC POLLUTANTS AND METASTATIC CARCINOMA IN CALIFORNIA SEA LIONS (ZALOPHUS CALIFORNIANUS)	261

Section 2: Emerging POPs

Order	Paper Title	page
1	ENANTIOSELECTIVE TRANSFORMATION OF ATROPISOMERIC PCBS OR OF THEIR METHYLSULFONYL METABOLITES BY RAT HEPATOCYTES ?	265
2	BIOACCUMULATION AND ELIMINATION OF CHIRAL ORGANOCHLORINE COMPOUNDS IN LOW TROPHIC LEVEL ORGANISMS	269
3	ENANTIOMERIC SEPARATION OF CHIRAL PCBS IN EGGS OF PREDATORY BIRDS FROM DO NANA NATIONAL PARK (SPAIN) BY USING MULTIDIMENSIONAL GAS CHROMATOGRAPHY TECHNIQUES	273
4	CHIRAL INDICATIONS FOR BIODEGRADATION OF THE POLYCYCLIC MUSK FRAGRANCES AHTN AND HHCb AS WELL AS THE METABOLITE HHCb-LACTONE IN A LARGE SCALE SEWAGE PLANT AND SURFACE WATER	277
5	OBSERVATIONS OF ENANTIOSELECTIVITY IN THE FATE, PERSISTENCE AND EFFECTS OF MODERN PESTICIDES	281
6	ENANTIOSELECTIVE TRANSFORMATION OF CHIRAL PCBS AND THE INSECTICIDE FIPRONIL IN NATURAL ANOXIC SEDIMENTS	285
7	ENANTIOMERIC FRACTIONS OF PCBS 95, 136, AND 149 IN OUTDOOR AIR AND SOIL IN BIRMINGHAM, UK	289
8	CHANGES IN CHLORDANE SOURCES TO THE ATMOSPHERE ARE SUGGESTED BY CHIRAL SIGNATURES	293
9	THE INFLUENCE OF CONCENTRATIONS OF PAH AND TRACE METALS ON ENANTIOMERIC FRACTIONS OF PCBS 95, 136, AND 149 IN UK LAKE SEDIMENTS	297
10	ACCUMULATION AND CHIRAL ANALYSIS OF PCBS IN FOREST SOILS ALONG AN URBAN-RURAL GRADIENT	301
11	LEVELS AND ENANTIOMERIC SIGNATURES OF X-HCH IN AN AQUATIC FOOD CHAIN FROM THE DANUBE DELTA, ROMANIA	305
12	DEVELOPING ANALYTICAL METHODS THAT STAND THE TEST OF TIME: DETERMINATION OF FLUORINATED ORGANICS IN VARIOUS MATRICES	309
13	TOXICOLOGICAL PERSPECTIVES ON PERFLUORINATED COMPOUNDS	311
14	CONCENTRATIONS AND TEMPORAL TRENDS OF TWO PERFLUOROOCYTL SULFANAMIDES IN FAST FOOD COMPOSITES COLLECTED DURING THE CANADIAN TOTAL DIET STUDY	315
15	QUANTITATIVE DETECTION IN SERUM AND BREAST MILK OF PERFLUORO-CHEMICAL SURFACTANTS	319
16	FLUORINATED ORGANIC COMPOUNDS IN AN EASTERN ARCTIC MARINE FOOD WEB	323

Section 3: Levels of POPs Other Than Dioxins/PCBs

Order	Paper Title	page
1	DETERMINATION OF TETRABROMOBISPHENYL A IN DETRIOT RIVER SEDIMENT AND SEWAGE SLUDGE	327
2	ENANTIOMER FRACTIONS OF CHLORDANE COMPONENTS IN SEDIMENT SAMPLES FROM U.S. GEOLOGICAL SURVEY SITES IN LAKES, RIVERS, AND RESERVOIRS	331
3	LEVELS AND DISTRIBUTION OF HEXACHLOROCYCLOHEXANE (HCH) AND DDT IN SEDIMENTS FROM EAST CHINA SEA	335
4	PERFLUOROCTANE SULFONATE AND RELATED COMPOUNDS IN THE SOUTH CHINA SEA, SULU SEA AND JAPANESE ENVIRONMENTAL SAMPLES	339
5	CBS AND PCDDS/FS LEVELS IN FISH SAMPLES FOLLOWING AN ACCIDENTAL RELEASE FROM A SPECIAL WASTE TREATMENT CENTER: 2000 RESULTS	343
6	CHANGES OF HEXACHLOROCYCLOHEXANE (GHCH) CONCENTRATIONS IN VARIOUS MEDIA IN TIANJIN, CHINA FROM EARLY 1950'S TO EARLY 1990'S	347
7	TRACE ORGANIC CONTAMINANTS INCLUDING TOXAPHENE AND TRIFLURALIN IN COTTON FIELD SOILS FROM GEORGIA AND SOUTH CAROLINA, USA	352
8	PCNS IN PINE NEEDLES AROUND THE TOKYO BAY, JAPAN	356
9	SEMIVOLATILE ORGANIC COMPOUNDS IN NEEDLES OF NORWAY SPRUCE FROM AN URBAN-INDUSTRIAL ENVIRONMENT	360
10	PAPER WITHDRAWN	
11	DDT AND PCB IN BLUBBER OF KILLER WHALE, ORCINUS ORCA, AND MARINE TUCUXI DOLPHIN, SOTALIA FLUVIATILIS, FROM RIO DE JANEIRO STATE, BRAZIL - PRELIMINARY RESULTS.	364
12	THE DISTRIBUTION OF ORGANOPHOSPHORUS COMPOUNDS IN VARIOUS INDOOR ENVIRONMENTS	367
13	ANALYSIS OF SHORT-CHAIN CHLORINATED PARAFFINS (C10-C13) IN GERMAN RIVER SUSPENDED PARTICULATE MATTER, SEWAGE SLUDGE AND INDUSTRIAL SLUDGE	371
14	POLYCYCLIC AROMATIC HYDROCARBONS AND NITRATED DERIVATES IN AIR OF FIVE EUROPEAN COUNTRIES	375
15	SEMIVOLATILE ORGANIC COMPOUNDS AT REMOTE FORST SITES OF SLOVENIA AND CARINTHIA	379

Section 4: Site Assessment and General Environmental Levels

Order	Paper Title	page
1	DISCOVERY OF DIOXIN CONTAMINATION IN THE WOONASQUATUCKET RIVER. A PRELIMINARY STUDY OF THE CENTERDALE MANOR RESTORATION PROJECT SUPERFUND SITE, NORTH PROVIDENCE, RHODE ISLAND, USA	383
2	CONTAMINANT DISTRIBUTION IN WHOLE BODY, FILLET AND OFFAL OF FISH AND HUMAN HEALTH EXPOSURE ASSESSMENT OF FISH CONSUMPTION A PRELIMINARY CASE STUDY OF THE CENTREDALE MANOR RESTORATION PROJECT SUPERFUND SITE	387
3	ACCUMULATION OF DIOXINS AND FURANS IN TREE SWALLOWS (TACHYICINETA BICOLOR) NESTING NEAR CENTREDALE MANOR SUPERFUND SITE, RHODE ISLAND	391
4	NATURAL RECOVERY OF PCB CONTAMINATION AT THE SANGAMO-WESTON/TWELVEMILE CREEK/LAKE HARTWELL SUPERFUND SITE	395
5	POLYCHLORINATED NAPHTHALENE (PCN) LEVELS AND DISTRIBUTION PATTERNS IN FISH FROM THE BALTIC SEA	399
6	ASSESSING THE DISTRIBUTION AND ENVIRONMENTAL RELEVANCE OF DDT CONTAMINATION IN LAKE APOPKA AND THE OCKLAWAHA CHAIN-OF-LAKES, FLORIDA	404
7	SEVERE PESTICIDE POLLUTION DESPITE CLEANUP OF OBSOLETE PESTICIDES AT VIKUGE, TANZANIA	408
8	SOIL CLEAN-UP VALUES FOR POLYCHLORINATED BIPHENYLS (PCBS) AND DIOXINS (PCDD/FS) USING HUMAN EXPOSURE MODELLING	411
9	SITE INVESTIGATION ON HIGHLY DIOXIN CONTAMINATED FIELD IN ANSHUN TAIWAN	415
10	THREE YEARS OF DIOXIN MONITORING NEAR THE ATSUGI BASE: IMPACT OF THE INCINERATION OPERATION ON CONCENTRATIONS IN ITS VICINITY	419
11	PCDDS/PCDFS LEVEL OF SOIL ACCUMULATION ON THE EDGES OF MAJOR HIGHWAY,	423
12	DIOXIN IN SOIL SAMPLES OF THE WROCLAW AND OLAWA REGION IN LOWER SILESIA,	428
13	TEMPORAL CHANGE OF PERSISTENT ORGANOCHLORINES CONCENTRATIONS AND COMPOSITIONS IN PADDY SOIL	432
14	UNEP/GEF PROJECT REGIONAL BASED ASSESSMENT OF PERISTENT TOXIC SUBSTANCES - EUROPEAN REGIONAL REPORT	436
15	AN IN-SITU BENTHIC CAGE TO CHARACTERIZE LONG-TERM ORGANOCHLORINEEXPOSURE AND ESTROGENIC EFFECTS	440
16	CHARACTERIZING DIOXIN AND FURAN EXPOSURE FROM PULP AND PAPER MILL EFFLUENTS USING CAGED MUSSELS IN THE KENNEBEC RIVER, MAINE	444
17	PCDD/F CONTAMINATED SOILS IN NORTHERN SWEDEN AS AN OUTCOME OF WOOD PRESERVATION WITH CHLOROPHENOLS	448
18	RELATIONSHIP BETWEEN DIOXINS IN FRESH BLEACHING EARTHS AND RESIDUAL DIOXIN LEVELS IN PROCESSED VEGETABLE OILS AND SPENT BLEACHING EARTHS	452
19	IDENTIFYING PCDD/F SOURCES IN SOIL IN AN INDUSTRIAL, URBAN SETTING: TOXICITY EQUIVALENTS, CONGENER PATTERNS AND HISTORIC LAND-USE	456
20	SPATIAL AND TEMPORAL TRENDS IN PERSISTENT ORGANIC POLLUTANTS SOIL CONTAMINATION IN THE CZECH REPUBLIC	460
21	CONCENTRATION LEVELS OF ENDOCRINE DISRUPTING CHEMICALS IN ENVIRONMENTAL MEDIA OF KOREA	464
22	DIOXIN-LIKE PCB CONGENERS IN PASTURE GRASS GROWING IN CONTAMINATED FLOODPLAIN SOIL	468
23	PCB LEVELS IN SOIL INSIDE ELECTROTRANSFORMER STATION 110/35 KV IN ZADAR	472
24	LONG TERM MONITORING IN THE FRAME OF THE NEW EUROPEAN GUIDLINE EN1948-1	476
25	PCDDS/FS LEVELS IN DEER TISSUE SAMPLES FOLLOWING AN ACCIDENTAL RELEASE FROM A SPECIAL WASTE TREATMENT CENTER: 2001 RESULTS	480
26	ENVIRONMENTAL LEVELS AND TREND OF DIOXINS IN THE REPUBLIC OF KOREA	484
27	POTENTIAL ROLES OF FERTILIZER AND MICRONUTRIENT SUPPLEMENT APPLICATIONS ON PCDD/FS AND TRACE ELEMENTS IN CALIFORNIA AGRICULTURAL SOILS	487
28	POLYCHLORINATED BIPHENYLS AND PCDD/DFS IN KANECHLOR TECHNICAL PCB FORMULATION FROM JAPAN BY ISOTOPE DILUTION METHOD USING HRGC-HRMS	491
29	BACKGROUND LEVELS OF PCDD/FS IN SOIL OF BEIJING AREA, CHINA	495
30	MEASURED AND MODELED AIR EMISSIONS FROM SOILS CONTAMINATED WITH PCBS (AROCOR 1260)	499
31	WITHDRAWN	
32	POLYCHLORINATED DIBENZO-P-DIOXINS AND DIBENZOFURANS IN TISSUES FROM SOUTH KORE	503