

Order	Paper Title	page
1	A CASE OF MILK CONTAMINATION BY PCDD/FS IN ITALY: ANALYTICAL LEVELS AND CONTAMINATION SOURCE IDENTIFICATION	1
2	CONCENTRATIONS OF PCDDS AND PCDFS IN COW'S MILK COLLECTED FROM FARMS NEAR MUNICIPAL INCINERATORS IN NEW YORK STATE	5
3	CONGENER-SPECIFIC PROFILES OF PCDDS/PCDFS IN BEEF, PORK, AND CHICKEN	9
4	THE GERMAN BAKERY WASTE INCIDENT	13
5	FIRST DATA CONCERNING PCDD/F AND PCB LEVELS IN FOOD SAMPLES FROM GREECE	17
6	PCBS AND DIOXINS IN BREAST MILK - LEVELS AND TRENDS IN SWEDEN 1996-2001	21
7	AN INVESTIGATION OF BLOOD DIOXIN LEVELS AMONG PERSONS IN CALCASIEU PARISH, LOUISIANA	25
8	PERFLUOROALKYLATED COMPOUNDS IN HUMAN BLOOD	29
9	BROMINATED FLAME RETARDANTS IN BREAST MILK FROM NORWAY	33
10	ESTIMATION OF DIETARY INTAKE OF POLYCHLORINATED DIBENZO-P-DIOXINS, POLYCHLORINATED DIBENZOFURANS, AND COPLANAR POLYCHLORINATED BIPHENYLS IN JAPANESE INFANTS	37
11	PCDD/FS AND DIOXIN-LIKE PCBS COMPOUNDS IN HUMAN MILK FROM CENTRAL TAIWAN	41
12	DISTRIBUTION OF METHYLSULFONE METABOLITES OF POLYCHLORINATED BIPHENYLS AND P,P'-DDE IN HUMAN TISSUES	45
13	LEVELS OF PCDDS, PCDFS AND PCBS IN INTERNATIONAL FAST FOOD SAMPLES	49
14	EFFECTS OF ORGANOCHLORINE PESTICIDES, PCDDS, PCDFS, PCBS, TEQ AND PBDES IN "FEBRA" EXPOSED INDIVIDUALS IN TWO YEAR INVESTIGATION	53
15	PCDD/FS AND PCBS IN BUTTER SAMPLES FROM THE EUROPEAN UNION ACCESSION COUNTRIES	59
16	ORGANOHALOGEN COMPOUNDS IN HISTORIC AND PRESENT DAY MIDDLE EASTERN VEGETABLE OILS	63
17	HUMAN EXPOSURE TO PCDDS, PCDFS AND CO-PCBS IN JAPAN, 2000	67
18	INTRA-INDIVIDUAL VARIATIONS OVER TIME FOR 2,2',4,4',5,5'-HEXACHLOROBIPHENYL (CB-153) IN RELATION TO CONSUMPTION OF FATTY FISH FROM THE BALTIC SEA	71
19	DIOXINS IN DUTCH VEGETABLES	75
20	ORGANOCHLORINE PESTICIDES IN DANISH MILK	79
21	PERSISTENT ORGANIC POLLUTANTS IN NICARAGUAN WOMEN WITH HIGH CONSUMPTION OF FISH FROM LAKE XOLOTLAN, AND IN CHILDREN WORKING IN A WASTE DISPOSAL SITE IN MANAGUA	83
22	FOLLOW-UP SAMPLING OF SERUM DIOXIN LEVELS AND AN ANALYSIS OF POTENTIAL ENVIRONMENTAL ASSOCIATIONS IN A SMALL POPULATION IN SOUTHWESTERN	87
23	FISH CONSUMPTION AND BREAST MILK CONCENTRATIONS OF PCBS AND CHLORINATED PESTICIDES IN THE ASTRAKHAN REGION, RUSSIA	91
24	EXPOSURE OF T-PCDD/DFS AND OXIDATIVE DAMAGE ON WORKERS AND RESIDENTS NEAR THE WASTE INCINERATORS IN KOREA	95
25	TEMPORAL AND AGE TRENDS IN DIOXIN LEVELS IN AMERICANS	100
26	DIOXINS IN LAOTIAN BLOOD AND MILK	104
27	PCDD/F/PCBS IN MILK OF MAMMALIA INCLUDING HUMAN BEING	108
28	LEVELS OF PCBS, CHLORDANE, DDE, HXCB AND PBDE IN HUMAN ADIPOSE TISSUE FROM HUNGARY COMPARED TO LEVELS IN SWEDEN	112
29	SUMMARY OF POLYCHLORINATED BIPHENYL, POLYCHLORINATED DIBENZO-P-DIOXIN AND DIBENOFURAN LEVELS IN BLOOD SAMPLES TAKEN FROM RESIDENTS OF CRYSTAL SPRINGS, MISSISSIPPI	116
30	CONTAMINATION BY PERSISTENT ORGANIC POLLUTANTS IN SOILS, BOVINE MILK, AND HUMAN BREAST MILK COLLECTED FROM THE DUMPING SITE OF MUNICIPAL WASTES IN	120
31	ASSESSMENT OF EXPOSURE TO DIOXINS OF THE SEVESO (MILAN, ITALY) AREA	124
32	IMPACT OF A CONCENTRATION-DEPENDENT ELIMINATION RATE FOR TCDD ON DOSE ESTIMATES FOR THE NIOSH COHORT	128
33	DEVELOPMENT OF A JOB EXPOSURE MATRIX (JEM) FOR FORMER WORKERS IN CAPACITOR MANUFACTURING	132
34	GLUTATHION-S-TRANSFERASE POLYMORPHISM AND ORGANOCHLORINE LEVELS IN A PCB CONTAMINATED AREA	136
35	RESULTS OF THE WHO-COORDINATED EXPOSURE STUDY ON THE LEVELS OF PCBS, PCDDS AND PCDFS IN HUMAN MILK	140
36	POLYCHLORINATED DIOXINS AND FURANS FOUND IN FISH FEED AND RELATED	144
37	SERUM DDT/DDE LEVELS IN WOMEN OF CHIAPAS, MEXICO	148
38	A FRESH LOOK AT THE RANCH HAND DATA	152
39	MEASURABLE IMPACT OF AN OLD MSWI ON THE LEVEL OF DIOXINS IN FREE-RANGE CHICKENS AND EGGS GROWN IN ITS VICINITY	158

40	ALARM - A NEW CHARACTERISTIC OF PERSISTENT TOXIC SUBSTANCES OF A THREAT TO HUMANS HEALTH	162
41	MEDIUM CHAIN CHLORINATED PARAFFINS IN GREAT LAKES FOOD WEBS	166
42	DIETARY HABITS AND BLOOD POLYCHLORINATED DIBENZO-P-DIOXINS, DIBENZOFURANS AND COPLANAR PCB LEVELS AMONG JAPANESE RESIDENTS	170
43	NATIONAL SURVEY ON CONTAMINATION LEVEL OF PCDD/DFS AND RELATED COMPOUNDS IN HUMAN BREAST MILK COLLECTED FROM KOREA	175
44	FOOD AND ANIMAL FEED CONTAMINATION BY PCDDS-PCDFS IN ITALY IN YEAR 2001	179
45	SWEDISH CONSUMPTION OF FATTY BALTIC FISH IN RELATION TO THE TOTAL DIOXIN INTAKE AND THE RECOMMENDED TDI	183
46	DIOXINS AND OTHER POPS IN BY-PRODUCTS, RECYCLATES AND WASTES AND THEIR POTENTIAL TO ENTER THE FOOD CHAIN	187
47	A PLACENTA SURVEY FOR POLYCHLORINATED DIBENZO-P-DIOXINS, DIBENZOFURANS AND BIPHENYLS (PCDD/FS, PCBS) AND THE RELATED FACTORS	191
48	ORGANOCHLORINE PESTICIDES RESIDUES IN FOODSTUFFS: CHINA STATUS OF CONTAMINATION, HISTORICAL TREND, AND HUMAN DIETARY EXPOSURE	195
49	FIRES AT CHEMICAL PLANTS: ARE FIREMEN A DIOXIN EXPOSURE RISK GROUP?	199
50	ORGANOHALOGEN COMPOUNDS IN HISTORIC BUTTER	203
51	DIOXIN AND ORGANOCHLORINE PESTICIDE CONCENTRATIONS OF BREAST MILK IN CHINA AND JAPAN	207
52	FOLLOW-UP SURVEY OF DIOXINS AND RELATED CHEMICALS IN THE BLOOD OF YUSHO PATIENTS IN 2001	211
53	EXPRESSION OF CYP1A1 AND 1B1 MRNA IN BLOOD LYMPHOCYTES FROM TWO DISTRICT POPULATIONS IN SLOVAKIA COMPARED TO TOTAL TEQS IN BLOOD AS MEASURED BY THE DRE-CALUXR ASSAY	215

Section 2: Vietnam Studies

Order	Paper Title	page
1	THE EARLY YEARS OF AMERICAN AGENT ORANGE RESEARCH IN VIETNAM; 1970 TO 1983	219
2	HEALTH EFFECTS OF AGENT ORANGE: THE MORE RECENT NATIONAL ACADEMY OF SCIENCES EFFORTS	223
3	DIOXINS IN VIETNAMESE AND IN VIETNAMESE ENVIRONMENT: EARLY AND RECENT INVESTIGATIONS	227
4	NEW FINDINGS OF DIOXINS, DIBENZOFURANS, PCBS, DDT/DDE, HCB, AND HCH IN FOOD FROM A VIETNAM TCDD CONTAMINATED AREA AND ACOMPARISON AREA	231
5	THE EFFECTS OF DIOXIN EXPOSURE ON THE OCCURRENCE OF BIRTH DEFECTS: A CASE CONTROL STUDY AT TUDU HOSPITAL	235
6	ASSOCIATION BETWEEN DISEASES OF THE PROSTATE AND TCDD IN US AIR FORCE VETERANS OF THE VIETNAM WAR	239
7	CANCER IN US AIR FORCE VETERANS OF THE VIETNAM WAR	243
8	A REVIEW: DIOXIN FROM AGENT ORANGE IN VIET NAM AFTER FOUR DECADES	247
9	AGENT ORANGE IN VIETNAM AND HUMAN EFFECTS: WHAT SHOULD WE LOOK FOR? WHAT MIGHT WE EXPECT?	251
10	THE GENDER RATIO OF CHILDREN OF AUSTRALIAN VIETNAM VETERANS	255
11	SPINA BIFIDA AMONG THE CHILDREN OF VETERANS EXPOSED TO HERBICIDES DURING WARTIME REVEALED BY THE LUMBAR VERTEBRA X-RAY	258
12	DIOXINS AND DIBENZOFURANS IN SEDIMENT FROM AGENT ORANGE SPRAYED AND NOT SPRAYED AREAS IN LAOS AND VIETNAM AS WELL AS FROM EUROPEAN COUNTRIES AND THE U.S.A.	262

Order	Paper Title	page
1	TEMPORAL CHANGES IN THE HEPATIC GENE EXPRESSION PROFILES OF FEMALE RATS EXPOSED TO TCDD, PECDF, PCB126, AND PCB153 FOR 14 OR 53 WEEKS	267
2	AHR SUPPRESSES THE HEMOPOIESIS DURING THE STEADY STATE BUT PROMOTES ACCELERATION OF CELL CYCLE AS AN EARLY RESPONSE: A STUDY OF AHR KNOCKOUT	270
3	IN UTERO AND LACTATIONAL TCDD EXPOSURE AFFECTS RAT BONE DEVELOPMENT	274
4	STRAIN DIFFERENECE IN PLACENTAL DYSFUNCTION AND FETAL DEATH IN RATS EXPOSED TO 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN	278
5	IMMATURE ANGIOGENESIS IN THE RAT PLACENTAL LABYRINTH AFTER EXPOSURE TO 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN	282
6	EFFECT ON DEVELOPMENT OF MALE REPRODUCTIVE ORGANS OF MOUSE OFFSPRINGS AFTER IN UTERO EXPOSURE TO 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN	285
7	NON-ABSORBABLE FAT INCREASES THE DISPOSAL OF 2,2',4,4'-TRETRABROMODIPHENYL (BDE-47) IN RATS THROUGH INTERRUPTION OF THE ENTEROHEPATIC CIRCULATION	289
8	COMPARISON OF OVERALL METABOLISM OF 1,2,3,7,8-PECDD IN CYP1A2 (-/-) KNOCKOUT AND C57BL/6N PARENTAL STRAINS OF MICE	293
9	COMPARSION OF METHOXYCHLOR-INDUCED WEIGHT CHANGE AND CALBINDIN-D9K MRNA EXPRESSION IN RAT UTERUS BY THE ROUTE OF ADMINISTRATION	297
10	INFLUENCE OF TYPE II DIABETES AND OBESITY ON THE DISPOSITION AND ELIMINATION OF TCDD IN MICE	301
11	TRIBUTYLTIN INDUCES APOPTOSIS IN R2C RAT LEYDIG CELLS VIA OXIDATIVE STRESS AND CASPASE-3 ACTIVATION BY DISTURBANCE OF CA2+	304
12	DIFFERENCES BETWEEN GENDERS IN SUSCEPTIBILITY TO ANTIOXIDANT ENZYMES IN THE RATS FOLLOWING SINGLE EXPOSURE TO 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN	308
13	TCDD INDUCES TRABECULAR BONE LOSS AND BONE FRAGILITY IN A TCDD-SENSITIVE BUT NOT IN A TCDD-RESISTANT RAT STRAIN	312
14	SPECIES DIFFERENCE AMONG MICE, HAMSTERS, RATS AND GUINEA PIGS IN KANECHLOR-500-INDUCED ALTERATION OF SERUM THYROID HORMONE LEVEL	316
15	HYDRONEPHROSIS AT WEANING, NOT DURING GESTATION, IS CAUSED BY LACTATIONAL EXPOSURE TO 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN IN HOLTZMAN RATS	320
16	CAFFEINE, ACETANILIDE, AND METHOXYRESORUFIN METABOLISM BY RAT AND HUMAN CYP1A2 SUPERSOMES AND THEIR INHIBITION BY 2,3,7,8,-TETRACHLORODIBENZO-P-DIOXIN (TCDD)	324
17	EXPOSURE OF MALE LONG-EVANS RATS TO 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN USING LOADING-DOSE/MAINTENANCE-DOSE REGIMEN DOES NOT ALTER THE SEX RATIO OF THEIR OFFSPRING	328
18	SPECIES DIFFERENCE AMONG MICE, HAMSTERS, RATS AND GUINEA PIGS IN 2,2',4',5,5'-PENTACHLOROBIPHENYL AND 2,2',3',4',5,6-HEXACHLOROBIPHENYL-INDUCED ALTERATIONS OF SERUM THYROID HORMONE LEVEL	332
19	ASSESSMENT OF THE CLEFT PALATE INDUCTION BY SEVEN PCDD/F CONGENERS IN THE MOUSE FETUS	336
20	COMPARISON OF HEPATIC GENE EXPRESSION PROFILES IN FEMALE RATS EXPOSED SUBCHRONICALLY TO TCDD, PECDF, PCB126 AND PCB153 USING DNA MICROARRAY	339
21	EXOGENOUS THYROXIN PARTIALLY CORRECTS THE CHANGES OF ADENINE NUCLEOTIDES CONTENT IN LIVER OF RATS UNDER THE ACTION OF HERBICIDE 2,4-DMA	342
22	IDENTIFICATION AND TISSUE DISTRIBUTION OF CATECHOL METABOLTES OF POLYCHLORINATED BIPHENYLS IN RODENTS DOSED WITH KANECHLOR 5	345

Order	Paper Title	page
1	POLYCHLOROBIPHENYL CLEARANCE IN FARMED RAINBOW TROUT: PRELIMINARY STUDY RESULTS AND DEVELOPMENT OF A CHEMOBIOKINETIC MODEL	349
2	USING SELECTIVE SFE TO PREDICT THE FRACTION OF SEDIMENT-BOUND PCBs BIOAVAILABLE TO EEL	353
3	COMPARISONS OF PBDE CONGENER PROFILE IN FISH WITH DIFFERENT TYPES OF FEEDING BEHAVIOR FROM MAJOR MINNESOTA RIVERS	356
4	BIOACCUMULATION PROFILES OF UNEP'S POPS IN TERRESTRIAL WILDLIFE IN SOME PARTS OF JAPAN	360
5	SERUM/CELL DISTRIBUTION OF PCB CONGENERS IN BALD EAGLE BLOOD SAMPLES	366
6	ACCUMULATION OF EXTRAORDINARILY HIGH CONCENTRATIONS OF EPISODIC PCB CONGENERS IN HORSES FROM VARIOUS FORAGES	370
7	RENAL FIBROSIS INDUCED BY IN UTERO AND LACTATIONAL EXPOSURE TO 2,3, 7, 8-TETRACHLORODIBENZO-P-DIOXIN IN RHESUS MONKEYS	374
8	LARGE DIFFERENCES IN DIOXIN AND PCB LEVELS IN HERRING AND SALMON DEPENDING ON TISSUE ANALYSED	378
9	REMOVAL OF DIOXIN DERIVATIVES BY SALMON MILT DNA	382
10	ACCUMULATION LEVELS AND DISTRIBUTION CHARACTERISTICS OF 2,3,7,8-SUBSTITUTED DIOXINS IN CRUCIANS AND LEOPARD FROGS FROM THE NAKDONG RIVER IN S. KOREA	386
11	PERSISTENT ORGANOCHLORINE CONTAMINANTS AND HEPATIC CYTOCHROME P450S IN COMMON CORMORANTS AND BLACK-EARED KITES	391
12	INFLUENCE OF ORGANOCHLORINE PESTICIDE DDT ON CHANGE BACTERIAL COMMUNITY IN RIVER SEDIMENT UNDER ANAEROBIC CONDITIONS	395
13	CONTAMINATION OF DIOXINS AND ORGANOCHLORINE PESTICIDES IN CROWS FROM A DUMPING SITE IN SOUTH INDIA, AND THEIR EFFECTS ON THE HEPATIC XENOBIOTIC-METABOLIZING ENZYMES	399
14	VARIATION IN CYTOCHROME P4501A MRNA INDUCIBILITY AMONG INDIVIDUAL CHICKENS AND HERRING GULLS	403
15	A PROTEOMIC APPROACH TO IDENTIFY CHANGES IN PROTEIN EXPRESSION PATTERNS IN WILD COMMON CORMORANT LIVER CONTAMINATED BY DIOXINS	407
16	BIOACCUMULATION FACTORS AND UPTAKE OF 2,3,7,8- POLYCHLORINATED DIBENZO-P-DIOXINS IN THE DOMESTIC CHICKEN (GALLUS DOMESTICUS)	411
17	DETERMINATION OF THE DIETARY ASSIMILATION OF HEXACHLOROBENZENE INTO THE CHANNEL CATFISH (ICTALURUS PUNCTATUS)	415
18	UPTAKE AND EXCRETION OF PCDD/FS FROM A MAGNESIUM MINERAL SUPPLEMENT FED TO DAIRY COWS	419
19	GENE EXPRESSION DISORDER IN VARIOUS TISSUES IN RHESUS MONKEYS TREATED WITH 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN VIA SUBCUTANEOUS SINGLE INJECTION	423
20	METABOLISM OF 2,3,3',4,4'-PENTACHLOROBIPHENYL IN HAMSTERS	427
21	EFFECT OF IN UTERO AND LACTATIONAL EXPOSURE TO 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN ON TOOTH DEVELOPMENT IN RHESUS MONKEYS	431
22	CONTAMINATION STATUS OF ANIMAL FEEDS BY PCDDS, PCDFS AND DIOXIN-LIKE PCBs	435
23	DETECTION OF THE LUNG CANCER CAUSING SUBSTANCES IN THE ATMOSPHERE DETECTION OF THE ENVIRONMENTAL POLLUTANTS IN TISSUES OF THE DOG	439
24	POLYCHLORINATED DIBENZO-P-DIOXINS AND DIBENZOFURANS IN LIVERS OF AN ATLANTIC SEABIRD, THE COMMON GUILLEMOT URIA AALGE : INFLUENCE OF THE GENERAL BODY CONDITION.	443